

SPECIFIKACE OCELI, OCEL 11 375, E 44.72

Pol.	Součást	Ks	Průřez		Délka		Váha		Mat.	Poznámka
			označení	tl.	jedn. mm	celk. m	kg/bm	celkem kg		
	1.NP :									
18	Překlád	4	I100		1350	5,40	14,3	77,2	11 375	
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
	2.NP :									
106	Úložný plech schodiště	4	P8x180		180	0,72	11,30	8,0	11 375	
	Kotevní šroub-chem. kotva	8	Ø M16							
107	Schodnice	2	P6 x 300		3000	6,00	14,13	85,0	11 375	přibližná délka
108	Úložný úhelník stupnic	18	L 30 x 30 x 3		250	4,50	1,48	7,0	11 375	
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
						0		0		
	Ocel celkem :							177,2	kg	bez rezerv a prořezů

SPECIFIKACE OCELI, OCEL 11 375, E 44.72

[illegible]

SPECIFIKACE OCELI, OCEL 11 375, E 44.72

[illegible]